



CMF / CRF Details

CMF ID: 1419

Add signal (additional primary head)

Description:

Prior Condition: Intersection has one primary signal head per approach

Category: Intersection traffic control

Study: [Safety Benefits of Additional Primary Signal Heads, Felipe et al., 1998](#)

Star Quality Rating:	

Crash Modification Factor (CMF)

Value:	0.65
Adjusted Standard Error:	
Unadjusted Standard Error:	

Crash Reduction Factor (CRF)

Value:	35 (This value indicates a decrease in crashes)
Adjusted Standard Error:	
Unadjusted Standard Error:	

Applicability

Crash Type:	Angle
Crash Severity:	All
Roadway Types:	Not specified
Number of Lanes:	
Road Division Type:	
Speed Limit:	
Area Type:	Urban
Traffic Volume:	
Time of Day:	

If countermeasure is intersection-based

Intersection Type:	Roadway/roadway (not interchange related)
Intersection Geometry:	4-leg
Traffic Control:	Signalized
Major Road Traffic Volume:	
Minor Road Traffic Volume:	

Development Details

Date Range of Data Used:	
Municipality:	Richmond, British Columbia
State:	
Country:	Canada

Type of Methodology Used:	2
Sample Size Used:	
Before Sample Size Used:	8
After Sample Size Used:	8

Other Details	
Included in Highway Safety Manual?	No
Date Added to Clearinghouse:	Dec-01-2009
Comments:	The authors state that "three year of data were used for this analysis" (p. 7). This statement does not indicate if the before period was 3 years, the after period was 3 years, both were 3 years, or the total time period was 3 years (i.e. 1.5 years for before period and 1.5 years for after period).

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.