



CMF / CRF Details

CMF ID: 2435

Install new fluorescent curve signs or upgrade existing curve signs to fluorescent sheeting

Description: Enhancing delineation along curves by installing new or replacing existing warning signs, curve delineation signs, and/or post mounted delineators. Warning signs include curve ahead or suggested speed limit and curve delineation signs include chevrons and horizontal arrows.

Prior Condition: No sign or sign without fluorescent sheeting

Category: Signs

Study: [*Safety Evaluation of Improved Curve Delineation, Srinivasan et al., 2009*](#)

Star Quality Rating:



[\[View score details\]](#)

Crash Modification Factor (CMF)

Value: 0.66

Adjusted Standard Error:

Unadjusted Standard Error: 0.115

Crash Reduction Factor (CRF)

Value: 34 (This value indicates a **decrease** in crashes)

Adjusted Standard Error:	
Unadjusted Standard Error:	11.5

Applicability	
Crash Type:	Head on,Nighttime,Non-intersection,Run off road,Sideswipe
Crash Severity:	All
Roadway Types:	All
Number of Lanes:	2
Road Division Type:	Undivided
Speed Limit:	
Area Type:	Rural
Traffic Volume:	895 to 20479 <i>Annual Average Daily Traffic (AADT)</i>
Time of Day:	Night

If countermeasure is intersection-based

Intersection Type:	
Intersection Geometry:	
Traffic Control:	
Major Road Traffic Volume:	
Minor Road Traffic Volume:	

Development Details	
Date Range of Data Used:	1997 to 2006
Municipality:	

State:	CT
Country:	
Type of Methodology Used:	2
Sample Size Used:	
Before Sample Size Used:	46
After Sample Size Used:	22

Other Details	
Included in Highway Safety Manual?	No
Date Added to Clearinghouse:	
Comments:	

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.