



## CMF / CRF Details

**CMF ID: 3403**

**Install edgeline rumble strips on roadways with a shoulder width of 5 feet or greater**

**Description:**

**Prior Condition: Roadway with no rumble strips and a shoulder width of 5 feet or greater**

**Category: Roadway**

**Study: [NCHRP Report 641: Guidance for the Design and Application of Shoulder and Centerline Rumble Strips, Torbic et al., 2009](#)**

**Star Quality Rating:**



[\[View score details\]](#)

### Crash Modification Factor (CMF)

**Value:** 0.75

**Adjusted Standard Error:**

**Unadjusted Standard Error:** 0.1569

### Crash Reduction Factor (CRF)

**Value:** 25 (This value indicates a **decrease** in crashes)

<b>Adjusted Standard Error:</b>	
<b>Unadjusted Standard Error:</b>	15.69

### Applicability

<b>Crash Type:</b>	Run off road
<b>Crash Severity:</b>	K (fatal),A (serious injury),B (minor injury),C (possible injury)
<b>Roadway Types:</b>	Principal Arterial Other Freeways and Expressways
<b>Number of Lanes:</b>	
<b>Road Division Type:</b>	Divided by Median
<b>Speed Limit:</b>	
<b>Area Type:</b>	Rural
<b>Traffic Volume:</b>	11539 to 37112 <i>Average Daily Traffic (ADT)</i>
<b>Time of Day:</b>	All

### *If countermeasure is intersection-based*

<b>Intersection Type:</b>	
<b>Intersection Geometry:</b>	
<b>Traffic Control:</b>	
<b>Major Road Traffic Volume:</b>	
<b>Minor Road Traffic Volume:</b>	

### Development Details

<b>Date Range of Data Used:</b>	1997 to 2006
<b>Municipality:</b>	

<b>State:</b>	MO
<b>Country:</b>	U.S.A.
<b>Type of Methodology Used:</b>	7
<b>Sample Size Used:</b>	Crashes

<b>Other Details</b>	
<b>Included in Highway Safety Manual?</b>	No
<b>Date Added to Clearinghouse:</b>	Mar-21-2011
<b>Comments:</b>	The authors collected data on thru lanes and speed limits but did not provide those data in the report (see p. 50).

---

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

*The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.*